

Chapter 07.00A

Physical Problem for Integration General Engineering

Problem

A rocket is going vertically up and expels fuel at a velocity 2000 m/s at a consumption rate of 2100 kg/s. The initial mass of the rocket is 140,000 kg. If the rocket starts from rest at $t = 0$ seconds, how can I calculate the vertical distance covered by the rocket from $t = 8$ to $t = 30$ seconds?



Figure 1 A rocket launched into space

Solution

If

m_0 = initial mass of rocket at $t = 0$ (kg)

q = rate at which fuel is expelled (kg/sec)

u = velocity at which the fuel is being expelled (m/s)

Then since fuel is expelled from the rocket, the mass of the rocket keeps decreasing with time. The mass of rocket, m at any time t

$$m = m_0 - qt$$

The forces on the rocket at any time are found by applying Newton's second law of motion.

Then

$$\sum F = ma$$

$$uq - mg = ma$$

$$uq - (m_0 - qt)g = (m_0 - qt)a$$

where

g = acceleration due to gravity (m/s^2)

$$a = \frac{uq}{m_0 - qt} - g$$

$$\frac{d^2x}{dt^2} = \frac{uq}{m_0 - qt} - g$$

$$\frac{dx}{dt} = -u \log_e(m_0 - qt) - gt + C$$

Since the rocket starts from rest

$$\frac{dx}{dt} = 0 \text{ at } t = 0$$

$$0 = u \log_e(m_0) + C$$

$$C = -u \log_e(m_0)$$

Hence

$$\frac{dx}{dt} = -u \log_e(m_0 - qt) - gt + u \log_e(m_0)$$

$$\frac{dx}{dt} = u \log_e\left(\frac{m_0}{m_0 - qt}\right) - gt$$

Then the distance covered by the rocket from $t = t_0$ to $t = t_1$ is,

$$x = \int_{t_0}^{t_1} \left[u \log_e\left(\frac{m_0}{m_0 - qt}\right) - gt \right] dt$$

Let us substitute the values into the above equation. A rocket is going vertically up and expels fuel at a velocity 2000 m/s at a consumption rate of 2100 kg/s. The initial mass of the rocket is 140,000 kg. If the rocket starts from rest at $t = 0$ seconds, how can I calculate the vertical distance covered by the rocket from $t = 8$ to $t = 30$ seconds?

Substituting

$$u = 2000 \text{ m/s}$$

$$m_0 = 140000 \text{ kg}$$

$$q = 2100 \text{ kg/s}$$

$$g = 9.8 \text{ m/s}^2$$

$$t_0 = 8 \text{ s}$$

$$t_1 = 30 \text{ s}$$

$$x = \int_8^{30} \left(2000 \ln \left[\frac{140000}{140000 - 2100t} \right] - 9.8t \right) dt$$

INTEGRATION

Topic	Integration
Summary	These are textbook notes of a physical problem for integration
Major	General Engineering
Authors	Autar Kaw, Michael Keteltas
Date	December 23, 2009
Web Site	http://numericalmethods.eng.usf.edu
